

CATTLE



CALVING

06

CARE

10

FEEDING

11

MAGNETS AND TROCARS

23

DEHORNING

25

CASTRATION

31

RESTRAINING

32

HALTERS

38

HOOF CARE

42

DAIRY

53

COW BRUSHES

68

BELLS

71

UKAL introduces

NEW



MOOCALL heat

Moocall HEAT significantly reduce the time spent detecting and tracking heat cycles in your herd.


- ✓ Moocall HEAT is a collar that is worn by a stock or a teaser / vasectomised bull. Moocall eartags are attached to all cows and heifers. Delivered with 50 RFID eartags. The collar then uses cow/bull proximity, mounting behaviour and bull activity levels to determine to an extremely high level of accuracy when a cow or a heifer is in heat.
- ✓ Moocall HEAT sensors measure the bull's activity around the cows to determine which cows are in estrus and when. They will then send you an SMS message, an app notification and an email to let you know that they have detected mounting activity. You can then use the AM/PM rule if you are using a teaser bull to AI at the optimum time.

On average, you will need about 1 device per 50 head. Each collar comes with 50 tags. You can put up.

Reference	Description
M0034724	MOOCALL Heat

MOOCALL Heat eartags

For Moocall heat collars.

Reference	Description
M00347241	Box of 25 

NEW



MOOCALL Calving sensor

Moocall's calving sensors measure contractions and predict when your cows will calve. This non-invasive, tail-mounted sensor collects hundreds of pieces of data per second. It can accurately predict when your cow is most likely to calve by measuring tail movements triggered by labour contractions.

When the contractions reach a certain level of intensity, over a period of time, the sensor sends an SMS alert directly to your mobile phone, on average, 1 hour before calving. DOES NOT WORK FOR HORSES

THE ADVANTAGES OF MOOCALL - CALVING SENSOR

- ✓ Connects easily with all networks and phones (GSM signal)
- ✓ No need for wifi, stations, router or extra batteries.
- ✓ Notification 1 hour before calving by SMS, email and App notification
- ✓ Free application
- ✓ One year warranty
- ✓ Non-invasive
- ✓ Cost compensated with about 30 cows
- ✓ Reduces calf and cow mortality,
- ✓ Save time and fuel
- ✓ After-sales service available by various means
- ✓ 95% effective product

Each sensor includes service and warranty for 12 months from the date of activation. After one year, an annual fee applies to keep the unit active. The annual fee for the second year is payable directly to Moocall HQ. Annual renewal covers 12 months of unlimited calving alerts, software updates, service and support. The customer can also extend the warranty for a second year. Please note that MOOCALL is not geolocatable.

Reference	Description
M0034716	MOOCALL Calving sensor



Calving jack beef cattle

Vink

Pulling power 500 kg (1'100 lbs). For corpulent suckling-cows. The 1,80 meter (5'4") tube provides an efficient support for calving even for very big calves. It is also suitable for hanging the calf upside down to clear out the respiratory tracts.

Reference	Description
-----------	-------------

101011	Pulling power: 500 kg
--------	-----------------------




Calving jack dairy cattle

Vink

Pulling power 300 kg (660 lbs). Allows a higher freedom of action as well as a high tension and an alternate motion of the two straps. Made of stainless steel.

Reference	Description
-----------	-------------

101010001	Pulling power: 300 kg
-----------	-----------------------




SECURPART calving

Robust and light model. Easy to use. The "SECURPART" calving jack is especially designed for dairy cattle. Antislip handle due to its big thread and the embedding in two slide bars - blocking impossible. Collapsible, compact design, facilitates storage and carrying. Up to 400 kg (880 lbs) pulling power. Simultaneous movements. Larger cover with american head. Made of aluminium.

Reference	Description
-----------	-------------

101040	American metal head 1,80 m
--------	----------------------------

101050	Metal Head 1,80 m
--------	-------------------



Universal calving ropes

Made of nylon. 66 cm (26") long. Adaptable for all types of calving jacks. Supplied in pairs.

Reference	Description
-----------	-------------

101103	White
--------	-------



VINK calving ropes

Vink

Made of nylon. Diameter of 12 mm (1/2"). Supplied in pairs.

Reference	Description
-----------	-------------

101104	Red and blue / Length: 105 cm
--------	-------------------------------



Cotton calving ropes with ring

55 cm (27") long. Diameter 12 mm. Very soft. The cotton avoids shearing. Supplied in pairs.

Reference	Description
-----------	-------------

101105	White
--------	-------





Nylon calving ropes with ring

Length: 43 cm (17"). Diameter 12 mm. Supplied in pairs.

Reference	Description
-----------	-------------

101106	White
--------	-------




Nylon calving straps

Suitable for calving ropes. After placing the rope through the metal ring, the large strap can be fastened on the leg of the cattle. The strap avoids shearing. Supplied in pairs.

Reference	Description
-----------	-------------

101123	Nylon assorted colors
--------	-----------------------



Perlon calving cord 2 m

Diameter of 7 mm. For calving. Available in several colours. Using different colours during the calving makes it possible to identify the legs and to adjust the traction according to the calving need.

Reference	Description
-----------	-------------

101107006	Blue by unit
-----------	--------------

101107036	One blue and one red
-----------	----------------------

101107003	Red by unit
-----------	-------------



Blanket for calves

UKAL

For optimal strengthening of the calf's immune system in the days after birth. Prevents diarrhoeal diseases. Breathable and moisture-resistant fabric 3 layers of protection with insulation for a better comfort of the calf. Long and adjustable straps. Machine washable at 30°C. Pocket with velcro fastening on the right side for the use of heating pads (not included). Length: 72 cm.

Reference	Description
-----------	-------------

101130	By piece
--------	----------



Cow lift

KAMER

Suitable model for dairy and beef cattle. The clamps prevent injuries thanks to its rubber foam covering. Double thread and triple tubing for a better resistance. Very simple to adjust. Helps weak cattle to stand up (after a difficult calving, for deficient animals). Maximum weight: 900 kg (1984 lbs).

Reference	Description
-----------	-------------

104453	Maximum weight 900 kg (1984 lbs)
--------	----------------------------------



VINK cow lift

Helps cattle to stand up after a difficult calving and also assists deficient animals. To place on the hip bone.

Reference	Description
104455	Maximum weight 900 kg (1984 lbs)



Cow lift 1500 kg

Cow lift robust and stable for cows up to 1500 kg. A wise investment that pays off quickly and should be a "must" for every dairy farmer. An indispensable apparatus for cows that cannot get up. The clamps are adjustable to the size of every cow. With a pulley or a hoist you can help the cattle to get up.

Reference	Description
104456	Maximum weight 1500 kg



Prolapse harness

It is used to keep the uterus in place in case of a prolapse. In leather.

Reference	Description
101110	Leather



Nickel - plated prolapse needles

Used to keep the uterus remain in place in case of a prolapse. Nickel-plated. 13 cm

Reference	Description
101113	Without eyelet, by 5
101113A	With eyelet, by 5



SEPTICARE lubricating gel

Lubricating gel ideal for lubricating the arms and hands for rectal and vaginal examinations.

Reference	Description
101212110	1000 mL. Spermicidal
101212120	1000 mL. Non spermicidal



SEPTIJECT

Septiject is a cleaning solution for external use to clean and dry superficial wounds on farm animals. Professional use only.

Reference	Description
002007	Spray 500 ml





Electronic veterinary thermometer with signal

Digital display from 32°C to 43°C. Audible signal to indicate the temperature calculated.

Reference	Description
-----------	-------------

114062

Electronic veterinary thermometer with signal



Digital veterinary thermometer

Measurement from +32°C to +44°C with an accuracy of $\pm 0.1^\circ\text{C}$. Automatic shut-offn after 15 seconds. With suspension ring and cord. Supplied in blister pack with manual.

Reference	Description
-----------	-------------

114063

Digital veterinary thermometer



Stethoscope

With 22" (56 cm) PVC tubing. Y shape. Eartips made of polyethylene.

Reference	Description
-----------	-------------

114100

Assorted colors



Universal scissors multi-use

Very good cut multi-use: hair, bands, umbilical cord...

Reference	Description
-----------	-------------

114025

Multi-use



Curved scissors with or without ball tip

Reference	Description
-----------	-------------

109958

Curved scissors without ball tip

109959

Curved scissors with ball tip



Artery forceps

Used when suturing.

Reference	Description
-----------	-------------

114080

Artery forceps



Tétibblue

The TETIBLUE line bases satisfy the most demanding breeders thanks to their special flotation function. The TETIBLUE bases are made of top quality non-toxic materials, both for the synthetic elements and the natural rubber teats, free of nitrosamines. An independent analysis laboratory certifies that our teats comply with the strictest food standards.



- Complying with Directive 93/11 EC concerning the **release of N-Nitrosamines**
- **Food quality**
- **High quality products** (teats impermeable to milk and mildew)
- Product developed to guarantee the best **ergonomics and resistance**

Calf feeder 8 L TETIBLUE

Its concave shape allows almost all of the milk to flow out, which avoids waste. Flat back for a better stability. Very resistant thanks to the plastic reinforcements on the sides and at the bottom of the bucket. Supplied with: 1 teat holder (ref.120 009 610), 1 rubber calf teat, 36 mm diameter (ref.120 009 500).

Reference	Description
120009600	TETIBLUE complete calf feeding bucket 8 L
120003004M	Metal bracket for calf bucket 8 L
120009610	Blue teat holder with 2 washers, by unit
120009620	Washer for teatholder
120009601	Bucket TETIBLUE



Teat for calf bucket TETIBLUE & TETICLEAR

Certified and non-toxic TétiBlue teats have been designed especially for food use. They comply with the conditions for calf feeding. Supplied in pairs. Shore 50.

Reference	Description
120009500	Dimensions: 35 x 100 mm




TETICLEAR feeding bucket 8 litres clear

The new TETICLEAR feeding bucket is **graduated**. High quality transparent plastic. Very resistant. It is equipped with a sloping bottom so that all the milk is consumed. Supplied with handle, teat holder, teat and wall bracket. Food grade plastic, non-toxic. Hygienic, easy to clean. Thanks to the support it can easily be turned over to dry. The transparent plastic allows you to effortlessly check the level of remaining milk. Supplied without cover.

Reference	Description
120009630	TETICLEAR feeding bucket 8 litres clear
120009621	Clear cover for TETICLEAR feeding bucket





anti-leak
SMB SYSTEM

Complete universal SMB calf teat

Teat complete with elbow and valve. Together with the « SMB » teat the blend allows to empty almost the whole bucket. Thanks to its anti-return valve you get more efficiency and avoid leftovers on the bottom of the bucket. Supplied by unit.

Reference	Description
120037	SMB calf teat complete
120037002	Bend and valve by 10



UKAL
exclusivity

Floating calf dummy large TETIBLUE

The characteristic of this base is the ability to float with the teat oriented upwards. With its round form it is very steady and unsinkable. It has been specially designed for trough-feeding systems. The stainless steel washer ensures a perfect balance of the base. It is embedded in the valve and can't get in contact with the food. Cleaning and replacement of the base can be done easily and rapidly. Supplied with a teat 120009300.

Reference	Description
120009	Diameter: 120 mm. Height: 130 mm



Floating dummy medium TETIBLUE

Diameter: 80 mm. Height: 130 mm. The characteristic of this base is the ability to float with the teat oriented upwards. The double clamp ring avoids milk permeation, which ensures the sealing and the cleanliness of the base. It is very practical, easy to dismantle and to clean due to its special design. The calf is able to drink all the milk contained in the bucket.

Reference	Description
120009001	Diameter: 80 mm. Height: 130 mm



Sinking dummy TETIBLUE

Diameter: 75 mm. Height: 130 mm. After the milk bucket is filled, this base sinks to the bottom of the bucket. The teat of this sinking base remains constantly facing upwards, thanks to the inclusion of a stainless steel ring in the centre of the valve. The replacement of the teat is practical and quick.

Reference	Description
120009002	Diameter: 75 mm. Height: 130 mm.



Floating calf dummy small TETIBLUE

Diameter: 74 mm. Height: 130 mm. The characteristic of this base is its ability to float with the teat facing down. The plastic part does not contain a balancing element, which forces the calf to look for the teat from the sides. It is extremely practical and easy to disassemble for cleaning.

Reference	Description
120009003	Diameter: 74 mm. Height: 130 mm



**FIND OUR VIDEO
ON YOUTUBE**





Spare teats

Colour: Red. Compatible with all floating dummies TETIBLUE except ref. 120009. Shore 42.



Reference

Description

120009200

Dimensions: 43 mm x 92 mm



Compatible with:



Spare teats

Colour: Sand. Compatible with all floating dummies TETIBLUE except ref. 120009. Shore 42.



Reference

Description

120009242

Dimensions: 43 mm x 92 mm

Compatible with:



Spare teats

Colour: Sand. Diameter of hole: 3 mm. Compatible with floating dummy ref. 120009. Shore 50.



Reference

Description

120009300

Dimensions: 46 mm x 120 mm



Compatible with:



Spare teats

Colour: Sand. Compatible with all floating dummies TETIBLUE except ref. 120009. Shore 50.



Reference

Description

120009100

Dimensions: 43 mm x 92 mm

Compatible with:



Spare teats

Colour: Sand. Size: 45 x 96 mm. Compatible with all floating dummies TETIBLUE except ref. 120009. Shore 50.



Reference

Description

120009110

Dimensions: 45 mm x 96 mm



Compatible with:





Aluminium calf teat

Aluminium. Shore 50. Sand color. Supplied in pairs.

Reference	Description
120006	Aluminium calf dummy x2
120007	Teat for aluminium calf dummy x2
120007001	Spare aluminium base calf dummy, by unit.



Stainless steel chain

Reference	Description
120007006	Stainless steel chain. By unit.



Rectangular calf feeder 14 L

A profitable investment. Food grade plastic, strong. The new shape of its base (flaring of the bottom and new teat holder) allows a complete milk outflow. No more milk leftovers on the base. Supplied complete with: 2 rubbers teats. 1 teat holder. 2 brackets for calf buckets. 1 handle. Follow the set up instructions for the holder and the teat to ensure an optimal performance.

Reference	Description
120002001	Rectangular feeder 14 L
120002002	White teat holder for calf feeder
120002004	Bracket for feeder. Supplied by 2.
120002005	Spare valve. By unit.
120002010	Waterproof joint for valve. By unit.
120099011	Sand long cylindric teat. Shore 50. Dimensions: 35 x 100 mm, by 2



Feeding bucket 5 L

The «M1» is a convenient feeder for either wall mounting or for hanging on a bucket bracket. Can be nested to make the carrying and storage easier. This feeder has a «SMB» non-leak teat. Capacity of 5 litres.

Reference	Description
120061	Capacity: 5 L



Milk train 2 places 10 L

A new idea in calf feeders. The «Milk train» is modular. Stack them together. Join them together to reach your desired length. Easy to carry about with the central handle. Supplied with «SMB» teats. Ten liters total capacity with individual compartments of four litres. Hook suitable for timber or pipe rails. The « Milk train » is a revolution in portable calf feeders. Each «Milk train» is 42 cm long.

Reference	Description
120062	Capacity: 10 L



6 teats bucket 20 L

To hang on rails up to 32 mm thick.


Reference	Description
120066	Capacity: 20 L



SMB calf teat

They prevent leaking and assure a good flow so that the calf can suck without any difficulties. The «SMB» teat is suitable for all feeders with a 22 mm teat hole and also for the calf feeding bottle. Supplied in pairs.

Reference	Description
120038	SMB calf teat
120037001	Spare elbow and valve by 10



Plastic calf bucket with handle 5 L

Complete with handle. Plastic, with lid, handle and latex teat.

Reference	Description
120016	5 L complete
120005	Latex teats reinforced x 2



Semi-circular plastic bucket with lid 6 L

The collar ensures that there are no losses. Very good stability thanks to its flat back. This new model has a metal reinforcement around the lid for a better stability of the handle. Supplied without teat.

Reference	Description
120015	6 L
1200241C	Rubber calf teat by 2



Circular plastic calf bucket 7 L

Plastic calf bucket, circular, 7 L. The cone shape allows full flow of milk. To be placed on a circular support for the feeding box. Supplied with: valve, 2 rubber teats (Ref. 120 024 1C) without support.

Reference	Description
120001	7 L
1200241C	Rubber calf teat by 2
120020	White valve by unit





Plastic calf feeder

With handle and teat. Food safe plastic. 250 ml scale. Supplied with rubber teat ref. 120025. Sand colour. Possibility to adapt the teat for grains.

Reference	Description
120025001	2 L complete (bottle + teat)
120035001	3 L complete (bottle + teat)
120025	Sand teat. Length: 10 cm. Supplied by piece.
120025006	2 L bottle holder in metal
120035006	3 L bottle holder in metal



Speedy feeder

"The speedy feeder is a **3 speed** calf feeding bottle. The 3 speeds control the air inlet to the bottle. A teat is mounted low in the cap to empty the bottle contents completely. **THE ORIGINAL!** Graduation every liter."

Reference	Description
120050	2.5L
120056	4L
120055	Lid and teat SPEEDY FEEDER

DID YOU KNOW?

The bottle saves time because drinking is immediate.



Calf rearer

Graduated calf feeding bottle with x-pierced teat. The 3 L model has a handle. Very resistant plastic and easy to clean.

- With scale
- With red -teat
- Large opening
- Self regulating valve

Reference	Description
120017100	1 L
120017200	2 L
120017300	3 L with handle.





Speedy drencher 4 L

The original Speedy Drencher is a drenching bottle for calves with the same characteristics as the Speedy Feeder bottle: 3 feed rates, ergonomic handle, a bottle neck with large opening and a wide base for greater stability. The lid and the drenching probe are suitable for the Speedy Feeder bottle. The length of the probe is 48 cm. Great for colostrum.



Reference	Description
120090	Capacity: 4 L
120091	SPEEDY drencher tip

Colostrum scale

Helps to evaluate the quality of the colostrum.

Reference	Description
124062	With test tube



Colostrum scale

Helps evaluate the quality of the colostrum. Indicates the amount of gamma globulin in the colostrum and its capacity to protect the calf. Minimum weight: 25 g.

Reference	Description
124063	colostrum scale



Colostrum refractometer

Helps to evaluate the quality of the colostrum. Refractometer with automatic temperature compensation between + 10 ° C and + 30 ° C. Scale from 0 to 32 Brix.

Reference	Description
124070	Colostrum refractometer



UKAL'S TIP

The colostrum refractometer: what importance does it have for newborns? Newborns don't have antibodies in their blood, which is a critical factor for the running of the immune system. Colostrum contains large quantities of antibodies and is the main source for the new born. Colostrum reduces the risk of diarrhea and pneumonia and saves lives. Refractometers allow you to verify that the milk given to the new born is healthy. Did you know? Colostrum is the milk produced by the female mammals at the end of the gestation, it is the first milk consumed after delivery.





ANTAHI

Based in the heart of New Zealand, Antahi develops innovative and efficient products. The best start = optimum health and productivity for life. Through our hands-on experience we know how to achieve this best start for your animals and we are here to help farmers and vets achieve top results in a kinder, easier, safer and easier manner, through better equipment. Why Antahi? An = animal and Tahi = first in Maori. If you look after your animals, they will look after you. Our products are designed to work with the animal, achieving the lowest stress and the greatest result, which in turn makes a farmers work and life easier.



ANTAHI

TRUSTI TUBER

Designed by a vet, the Trusti Tuber significantly reduces calf stress and discomfort. Flexi Tuber can be held in place with one hand. Large 4 litre capacity bottle. Transparent flexible tube makes it easy to clean and monitor flow. Ergonomic bottle handle. Perfect for large and small hands. Reliable valve. Fast flow even with thick colostrum. Shown in trials to almost halve procedure feeding time. Stopper and calf size markers provide easy guide for tube placement and positioning. **Attachment included with Flexi Tuber for use without hands.**

Reference	Description
120095	TRUSTI TUBER 4 L
120096	FLEXI TUBER 4 L



Antahi feeder with teat

ANTAHI

A specially designed bottle for both bottle feeding with the Antahi Suckle Up cap, and tube feeding with the Antahi Tubers. What makes a bottle a better bottle? Well that depends on the user, in this case the farmers and calf rearers, so we asked them: What would you like in a bottle and what makes your job easier? The Antahi Feeder is the result. High quality valve for reliable flow and no leaks. 4 litre or 1 gallon size for less refilling. Wide cap for eas filling and easy cleaning. Clip-on mouthpiece for maintaining hygiene. Ergonomic design for both small and large hands. Broad base for uneven ground.

Reference	Description
120097	4 L



Colostrum bags



Large spout for easy filling and cleaning. Transparent side – see the colostrum contents, see the colostrum level reduce during feeding. Reusable – due to durability and easy to clean design, the Trusti colostrum bag is the only colostrum bag designed to be reused. (Number of uses dependant on cleaning and care of bag). Comfortable handle. Pasteurisation friendly. Large capacity – four litres freezes flat. Quick thawing. Incorporating premium Trusti Tuber and Flexi Tuber oesophageal tube feeders.

Reference	Description
120098100	Box of 10
120098500	Box of 50



Complete kit for colostrum



Kit containing colostrum bags, a peach teat and a trusti tube.

Reference	Description
120095100	4 bags + teat + trusti tube
120095200	10 bags + teat + trusti tube



Brush for colostrum bags



Allows an efficient cleaning of the colostrum bags.

Reference	Description
120098	Stainless steel



Pasteurizer for colostrum bags



This pasteurizer is specially designed for pasteurization of colostrum bags.

Easy to use, very precise and good value for money.

This pasteurizer makes it easy to pasteurize colostrum in Trusti bags, it can keep the number and quality of antibodies in colostrum and avoid bacteriological contamination.

60 ° C = ideal temperature for pasteurizing; for 60 min.

42 ° C = temperature for defrosting.

Heating: depends on the degree of water.

Cooling: approx 30 min.

The technical characteristics:

Plastic material.

Capacity: 2 bags of 4 liters at the same time

Water capacity: 27 liters. Digital screen.

Reference	Description
120098300	Pasteurizer for colostrum bags



Thermal bag for colostrum bag



Insulated bag to keep colostrum warm when feeding or transporting.

Reference	Description
120098400	Thermal bag for colostrum bag





Dutch bowl 16 L

Diameter: 36 cm. Capacity: 16 L.

Reference	Description
122010	Capacity: 16 L. Diameter: 36 cm
122010001	Fixing ring for bowl diameter: 36 cm



Dutch bowl 14 L

Diameter: 32 cm. Capacity: 14 L.

Reference	Description
122011	Diameter: 32 cm. Capacity: 14 L.



Graduated calf plastic bucket

Reinforced bottom. With handle. Litre graduation. The real capacity is at least one litre over the indicated graduation. On special request and for a minimum of 500 pieces you can choose the colour and the buckets can be personalised with a logo or with other advertising labels.

Reference	Description
122013	Capacity: 13 L. Lower diameter: 245 mm. Upper diameter: 340 mm. Height: 200 mm.
122014	Capacity: 16 L. Lower diameter: 255 mm. Upper diameter: 350 mm. Height: 230 mm.
122015	Capacity: 16 L. Lower diameter: 255 mm. Upper diameter: 350 mm. Height: 230 mm.
122018	Capacity: 19 L. Lower diameter: 270 mm. Upper diameter: 370 mm. Height: 230 mm.

DID YOU KNOW?

Customised personalisation service is available. Do not hesitate to contact us for more information.



White calf muzzle without strap

White muzzle for calf without bridle. Very robust.

Reference	Description
120011B	White, high density polyethylene
120011	Grey in high density polyethylene. Limited stock.



Large rigid muzzle

Large model muzzle for fattening calves (heavy breed). Diameter: 18 cm

Reference	Description
120011002	White, high density polyethylene



White calf muzzle with strap

Nylon.

Reference	Description
120012	White



EUTRA interlac-pectin

Prevents loss of fluids and electrolytes. Forms a protective layer on the intestinal mucosa and captures pathogenic bacteria which cause disease. 100 % Natural products, contains apple pectin powder.

Reference	Description
112540025	2,5 kg

EUTRA



INSTRUCTIONS FOR USE

In case of diarrhoea: mix the powder with food or water: 5 g to 10 g per 10 kg body weight. Prophylactic treatment: use the lowest dose of 5 g per 10 kg body weight.



Milk thermometer in plastic cage

Temperature range from -10°C to 120°C. Easy to clean.

Reference	Description
124061	Milk thermometer



Teflon milk warmer

To heat the milk and to keep its temperature. Large heat exchange surface to make heating easier. Tight device. Waterproof. High stability.

Reference	Description
120400	Teflon



Aluminium milk warmer

To heat the milk and to keep its temperature. Large heat exchange surface to make heating easier. Tight device. Waterproof. High stability.

Reference	Description
120300	Aluminium



POWERHEAT HORIZONT milk heater

Heats up the milk in a minimum of time. Reduced energy consumption. Easy temperature control. Flat heating element with fast heat dissipation. Patented and innovative design enables easier cleaning of the heating element and all parts which come into contact with milk. Indicator light and audible signal when the desired temperature is reached. Automatic shut-off feature against overheating of milk. Ergonomic handles and control panel. Aluminum. Stable and waterproof (IPX7). Ideal for use in calf feeders with 8L capacity. Applicable from 150 mm immersion depth. Ergonomic working height at 90 cm. Ø: 165 mm. Low weight: 2.8 kg.

Reference	Description
-----------	-------------

120500

Aluminium



Digital POWERHEAT milk heater

Heats up the milk in a minimum of time. Reduced energy consumption. Easily adjust temperature by the degree. Flat heating element with fast heat dissipation. Saves the last temperature. Patented and innovative design enables easier cleaning of the heating element and all parts which come into contact with milk. Indicator light and audible signal when the desired temperature is reached. Automatic shut-off feature against overheating of milk. Ergonomic handles and control panel. Stable and waterproof (IPX7). Ideal for use in calf feeders with 8L capacity. Applicable from 150 mm immersion depth. Ergonomically working height at 90 cm. Ø: 165 Reduces germ formation, protects animal health. Digital display easily readable in bad lighting conditions. Teflon PTFE coating.

Reference	Description
-----------	-------------

120600

Teflon



Milk whisk

Reference	Description
-----------	-------------

124070036

Stainless steel milk whisk and handle 35 cm

124070037

Stainless steel milk whisk and handle 40 cm

Reference	Description
-----------	-------------

124070040

Stainless steel milk whisk wooden handle and metal ring 40 cm
limited stock

124070041

Stainless steel milk whisk long wooden handle 40 cm

124070042

Stainless steel milk whisk short wooden handle 40 cm



Ruminal magnet in plastic cage

Very powerful magnet that prevents accidents due to the ingestion of foreign metal bodies. The cage's shape provides maximum protection and enables sharp metal pieces to stay in an optimal position. Length: 100 mm To be used with the magnet introducer ref. 111019.

Reference	Description
111001	Single unit
111001012	Pack of 12




Example of effectiveness

Ruminal magnets

Very powerful magnet that prevents accidents due to the ingestion of foreign metal bodies. To be used with the magnet introducer ref. 111019. Dimensions: 15 x 55 mm.

Reference	Description
111002	Pack of 6
111003	Pack of 12





Metal introducer for magnets

Nickel plated. Retains magnet while guide is being placed.

Reference

Description

111019

Length 55 cm - Inner diameter: 35 mm



Multi bolus gun

Stainless steel with aluminium handle which guarantees a good grip. Allows you to introduce 2 magnets or 2 boluses at the same time.

Reference

Description

111050100

Length: 46 cm



Bolus gun

Stainless steel. It retains the magnet while placing the guide.

Reference

Description

111050026

Diameter: 26 mm



Round cattle trocar

Trocar to pierce the stomach in case of bloating. To be used when the stomach tube is not effective.

Reference

Description

111114

Length: 22 cm, diameter 9 (for cattle)

111116

Length: 12 cm, diameter 6 (for sheep)

THE 4 R'S OF DEHORNING

The Right moment

As soon as possible and before 4 weeks: the younger the calf, the easier it is to handle. At this age the veins are found just under the skin.

The Right restraint

A calf that does not move makes dehorning easier for the farmer. This represents 80% of a successful dehorning.

The Right technique

Clip first to properly locate the horn. Cauterise in 10 seconds without pressing too hard. Make a furrow of 4-5 mm. Cauterisation is not burning.

The Right pain management after dehorning

Apply a cleaning spray that cools the cauterisation. We recommend using Septiject (ref 002007). Treat against flies. Keep under careful observation for the next 48 hours. Avoid putting animals outside in wet weather.



WHY DEHORN ?

For practical reasons :

- Easier access to the fence
- Save space
- Safe Handling

For safety reasons :

- Avoid accidents with the breeder
- Avoid accidents between animals

For economic reasons :

- A damaged skin decreases profitability

Different methods proposed :

- Electric or gas iron

essential
PRODUCT



002007

UKAL presents its new dehorners **netlorn**

NETHORN Gas Dehorer

Wireless, the NETHORN gas dehorer offers a run time of ± 2 hours.

Thanks to its power of 350 W and its speedy rise of temperature in less than 2 minutes, this dehorer allows dehorning in 3 seconds per horn.

The NETHORN dehorer has no exposed flame and has an automatic piezo ignition for starting up which can be changed without tools in a few seconds. It is indeed a safe device in wet conditions, it can work in all positions and down to -10°C . Lightweight 770 g.

19 mm diameter nozzle supplied, **2 propene / propane / butane cartridges included**, Also works for goats (nozzle not supplied).

Reference	Description
103016	Supplied with 2 cartridges

Nethorn gas cartridge

Reference	Description
103016100	60 g propene/propane/butane


netlorn

netlorn


ARKOS gas dehorer for cattle

THE PISTOL GRIP - new model. Lightweight: 470 g. No cable/Portable. Works with gas cartridge ref. 103015446. Built-in Piezo ignition. Temp.: 700°C / 1292°F , Max temp. reached in less than 3 minutes. Safety: Lock position, Operation position. Easy to handle: Non-slip dual-material handle, Pistol shape for good grip handling. Support stand. Reversible tip internal $\varnothing 17$ and 19 mm, to best adapt to various calf breeds. Additional tip inter- nal $\varnothing 15$ mm available on request. Self-maintenance: change the trigger/ Piezo-ignition and gas nozzle without tools. Supplied with one cartridge.

Reference	Description
103015144	Arkos dehorer
1030151420	Nozzle for gas dehorer EXPRESS FARMING Diameter 17/20 mm
103015446	60 g


EXPRESS
depuis 1905
Farming




DAOS gas dehorner

Lightweight: 300 g. Can be used either with the gas cartridge or with a regulator. Ref no. 1030151141 is supplied with a butane/propane/propene cartridge and 1.50 m of hose. Ref no. 1030151442 is supplied with 4.75 m of hose and a 2 bar regulator. Temp.: 700 °C / 1292 °F, Max temp. reached in less than 3 minutes. Support stand. Reversible tip internal Ø 17 and 19 mm, to best adapt to various calf breeds. Additional tip internal Ø 15 mm available on demand.

Reference	Description
1030151141	DAOS gas dehorner with gas cartridge
1030151442	DAOS gas dehorner with 2-bar regulator



Gas cartridge for dehorner EXPRESS FAMRING

Gas cartridge (butane, propene, propane).

Reference	Description
103015446	60 g



COSMOS dehorner

The Cosmos electric dehorner, with its Ø 16 mm tip specifically designed for cattle, is battery-operated making it very mobile and enabling the dehorning of up to 40 animals before recharging. Thanks to its mobility, animal restraint is greatly simplified and ensures total respect for animal well-being. Featuring numerous technological innovations, such as its closed circular heating wire and its built-in charge indicator, it helps operators save time and enables work in complete safety. Dehorning is made simple, with no more endless rotations. Always ready for use, it heats up and cools down almost instantly. With its unique patented system, it stops automatically when the 10-second dehorning cycle is complete. This guarantees quality dehorning for breeders, who know as soon as the operation is finished.

Reference	Description
103017100	Battery dehorner
103017200	Mains dehorner



Restraining cage

This restraint cage for calves is designed specifically for the dehorning of young calves (aged 0 to 4 weeks) in order to ensure effective restraint. It can be transported in a van without being dismantled. It includes the following: A tray to place your spray, dehorner and clipper. The cage is fully galvanised in order to increase its lifespan. Its adjustable restraint ring ensures that there is no risk of strangulation. Front gate with 90° opening. Large wheel to facilitate transport. Non-slip embossed floor mat. **Delivery charges not included.**

Reference	Description
103315001	Restraint cage only
103315002	Mobility kit for restraint cage



COSMOS kit

Become a pro at dehorning with this kit! This kit will allow you to have a good management of dehorning in respect of animal welfare thanks to: EXPRESS FARMING restraint cage for a optimal restraint. HEINIGER clipper to clear the edges. The EXPRESS FARMING main powered electric dehorner for efficient dehorning; Always ready to use, it heats up and cools almost instantly. Its unique patented system ensures that it informs you as soon as the 10 second dehorning cycle is completed. This guarantees quality dehorning for the breeder, who always knows, in real time, when his action ended. SEPTIJECT spray for good pain management. Delivery charges for the cage not included.

Reference	Description
999KITCOSMOS	Complete kit for dehorning



Dehorning kit

We have brought together 4 leading brands in their fields to offer a complete kit to dehorn calves less than 30 days old.

The objective is to highlight our expertise, but also to spread to farmers the good practices of dehorning.

- The right restraint: the compression ring
- The right moment: between 5 days and 30 days after birth
- The right technique: first trim the area to locate the hornbills and use a gas dehorner to perform cauterization
- Good pain management after dehorning: application of a cleaning spray that cools the cauterization

The kit contains:

- 1 x KAMER restraining ring for calves
- 1 x professional trimming clipper SAPHIR HEINIGER
- 1 x ARKOS gas dehorner for cattle
- 1 x SEPTIJECT spray

Use:

1. I hold the calf properly thanks to the compression ring.
2. I pre-condition the horns with the Saphir clipper.
3. I horn with the Arkos dehorner.
4. I apply the Septiject spray.

Reference	Description
999KITECORNAGE	Dehorning kit



THE ALLIANCE OF 4 BRANDS
FOR SUCCESSFUL DEHORNING!



www.ukal-elevage.com




Complete electric dehorners 24 V

For calf dehorning. Dehorners tip goes up to 600°C. Supplied complete with a 24 V transformer. Built-in iron holder. 4 m power cord. Power 250W. Tip of 17 mm diameter included.

Reference	Description
103290100	24 V


Tip for dehorners 103290100

Reference	Description
103290110V	Diameter 15 mm
103290105V	Diameter 17 mm



Tip for dehorners 127100025

Reference	Description
103290001	Diameter 13 mm
103290005	Diameter 17.5 mm



Tips for dehorners soldering iron 103301001

Reference	Description
103302015	Diameter 15 mm
103302020	Diameter 20 mm
103302025	Diameter 25 mm



Electric DEWALT dehorning saw

25 mm bore. Diameter 210 mm. To dehorn adult cattle. 2200 W. 6300 rpm.

Reference	Description
103309005	DEWALT dehorning saw without blades
103308001	Spare blade for dewalt saw x1



Mechanical BARNES dehorner

For cutting through the horns of calves. Metallic handle. Not for use on calves over 6 weeks.

Reference	Description
103307002	Diameter 13 mm
103307003	Diameter 17 mm



Horn guide with strap

Made of aluminium. To correct deviations or malformations during the horn growth of young cattle.

Reference	Description
103314	Aluminium



Rubber tourniquet

5 mm diameter. Allows a tourniquet to be made before dehorning.

Reference	Description
103313010	10 m
103313100	100 m



Dehorning pen

For the dehorning of calves younger than 3 weeks. Corrosive substance, to use with caution. Please follow the instructions.

Reference	Description
103305	8 g



Dehorning paste

For the dehorning of calves younger than 3 weeks. In a syringe with scale. Corrosive substance, to use with caution. 1 notch = 1 horn, consult the instructions for use.

Reference	Description
103306	45 g





Swedish dehorning saw wire 10 m

For the dehorning of adult cattle and embryotomy. Veterinary quality.

Reference	Description
-----------	-------------

103310	10 m
--------	------



Dehorning saw wire 12 m

KAMER

For the dehorning of adult cattle and embryotomy. This wire is extremely resistant. To be used with the dehorning saw wire handles, reference 103312.

Reference	Description
-----------	-------------

103311	12 m
--------	------



Dehorning saw wire handles

To be used with reference 103311, or with reference 103310. Antislip grooves. Supplied in pairs.

Reference	Description
-----------	-------------

103312	Supplied by 2
--------	---------------



Restraining ring for calf

KAMER

Galvanised steel. Fastens with 2 pins onto the vertical tube of a fence. The aim is to immobilise the head orientation of the calf whose snout is engaged inside the ring. Supplied with a rope.

Reference	Description
-----------	-------------

103315	Galvanised steel
--------	------------------



KAMER

UKAL
exclusivity

INSTRUCTIONS

You must proceed by crushing one testicular cord at a time, and make two crushes at 1-2 cm (1/2" - 3/4") distance:

Locate the testicular cord.

Block it with the castrator for 5 minutes.

Repeat the same operation 1-2 cm (1/2" to 3/4") lower on the same cord. The non-crushed space maintains irrigation and prevents gangrene.

Repeat on the second testicular cord.

Never try to crush simultaneously both testicular cords. It may be ineffective and it will damage the castrators.



48 cm



40 cm




34 cm

Bloodless castrator

Articulated with closing stop. Made of high quality forged nickel-plated steel. Supplied with a tightening key. The castration can be performed as soon as the testicles have reached their final firmness (not their final size) and within the first 6 months. The bloodless crushes the testicular cord through the scrotum skin. After use and cleaning the castrator must be stored opened.

Reference	Description
102223035	34 cm 11.8"
102223040	40 cm 15.8"
102223048	48 cm 19"

KAMER



Metal knee pad

Suitable for all the different bloodless castrators.

Reference	Description
102224	By unit





VINK head lift

It helps to position the head of the animal parallel to its body. In this position the animal is unable to move and it facilitates swallowing without wasting the drenching products or the mineral and vitamin supplements.

Reference	Description
-----------	-------------

104500	VINK head lift
--------	----------------

Vink



Spiked swingarm calf weaner

Sturdy aluminium weaner with adjustable screw and butterfly adjustment nut. For a semi permanent implementation. The most popular weaner.

Reference	Description
-----------	-------------

104441	Aluminium
--------	-----------




Calf weaner with spring adjustment and spikes

Aluminium calf weaner with aluminium disc and spring adjustment. Quick and easy to install and remove. With spikes.

Reference	Description
-----------	-------------

104439001	Aluminium
-----------	-----------

KAMER



Applicator for calf weaners

Double sided: the front is used to attach the weaners. The back is to detach the weaners. Anti-slip handle.

Reference	Description
-----------	-------------

104440	Calf weaner applicator
--------	------------------------

KAMER



Metal sucking preventor ring

For long term use. Available in 4 sizes: Weaner size, for calves up to 5 months. Heifer size, for calves between 5 and 24 months. Adult size, for adult calves (older than 2 years).

Reference	Description
-----------	-------------

104440000	Weaner size x 5
-----------	-----------------

104440001	Calf size x 5
-----------	---------------

104440002	Heifer size x 5
-----------	-----------------

104440004	Adult size x 2
-----------	----------------

KAMER



Plastic adjustable calf weaner with spikes

Practical, efficient, economical. Weaner with screw adjustment. Avoid nasal injuries. For calves and small animals. Sold in pack of 2, 5 or 12.

Reference	Description
104446000	Small model x 2
104446100	Small model x 5
104200000	Small model x 12
104446001	Medium model x 2
104446101	Medium model x 5
104201001	Medium model x 12
104446002	Big model x 2
104446102	Big model x 5
104202002	Big model x 12



HOW TO CHOOSE THE SIZE OF THE WEANER?

SIZE	XS	S	M	L
MODEL	Weaner	Calf	Heifer	Adult
AGE	Birth	up to 5 months	5 to 24 months	More than 24 months
REFERENCES	104 440 000	104 440 001 104 446 000 104 446 100 104 200 000	104 440 002 104 446 001 104 446 101 104 201 001	104 440 004 104 446 102 104 446 002 104 202 002



Bull holder Harms

The two balls provide a perfect grip in the nose. Length of 19 cm.

Reference	Description
104412	Nickel-plated forged steel - 19 cm
104412S	Stainless steel



Bull holder with chain

Very robust bull holder. Supplied with a chain. The absence of blocking hooks avoids injuries during handling.

Reference	Description
104416	Nickel-plated forged steel - 15 cm



Bull holder without chain

Very robust bull holder. Supplied without chain. With two holes which allows use of a tightening rope.

Reference	Description
104416001	Nickel-plated forged steel - 15 cm





Bull holder

For a fast animal capture. Handle Length: 44 cm. .

Reference	Description
-----------	-------------

104414	44 cm
--------	-------

KAMER



Bull holder with spiral spring

Allows quick catch and release. Anti-panic system. Very robust. Length of 17 cm.

Reference	Description
-----------	-------------

104413	Chrome plated forged steel 17 cm
--------	----------------------------------

KAMER



T-Handle bull lead

With security lock. Epoxy steel. Handle of 1,45 m.

Reference	Description
-----------	-------------

104435001	145 cm. Epoxy steel
-----------	---------------------

104436	Fitting garniture without handle. Ø 28 mm. Nickel plated
--------	--

KAMER



Nickel-plated steel bull rings

Self piercing bull rings. No applicator needed. Flat opening of the arches. The indicated diameters are the internal in mm. Supplied with break off screw.

Reference	Description
-----------	-------------

104420050	Ø 50 mm
-----------	---------

104420060	Ø 60 mm
-----------	---------

104420070	Ø 70 mm
-----------	---------

104420080	Ø 80 mm
-----------	---------

104420090	Ø 90 mm
-----------	---------

104420100	Ø 100 mm
-----------	----------





Brass bull rings

Self piercing bull rings. No applicator needed. Flat opening of the arches. The indicated diameters are the internal ones and in mm. Supplied with break off screw.

Reference	Description
104421050	Ø 50 mm
104421060	Ø 60 mm
104421070	Ø 70 mm
104421080	Ø 80 mm
104421090	Ø 90 mm
104421100	Ø 100 mm



Self piercing bull rings

Male and female halves. Self piercing. No applicator needed. Different sizes available. Supplied with break off screw.

Reference	Description
104422370	Ø 70 mm external - Ø 54 mm int. Brass
104422376	Ø 76 mm external - Ø 60 mm int. Brass
104422276	Ø 76 mm external - Ø 60 mm int. Stainless steel



Leather bull ring halter

Cowhide leather. Nickel-plated ring. Allows the bull's ring to be raised. Assorted colors.

Reference	Description
104432004	Assorted colors.




Cane

Plastic

KAMER

Reference	Description
104402105	Ø 6 mm. 86 cm.
104402101	Ø 9 mm. 98 cm. Assorted colors.



Anti kick bar US model

Very robust. Hand crank to adjust the opening.

Reference	Description
104410	Anti kick bar





Anti kick bar

Very robust and adjustable anti kick-bar. Supplied in a box with rubber ends and springs. Recommended for every breeder ! It is the safest, easiest, most efficient and most humane way to avoid kicks. Immobilizes both sides and keeps the animal calm during examinations or all other handlings.

Reference	Description
104409	Zinc
104409001	Zinc. Supplied assembled.



Premium stainless steel anti-kick bar

KAMER

Stainless steel. Delivered mounted. Good price quality ratio.

Reference	Description
104409020	Stainless steel. Supplied assembled. By unit.



Top range stainless steel anti kick bar

Professional quality! 2 years warranty. New system to close quickly. Individually packaged.

Reference	Description
104409010	Stainless steel



Anti kick bar kit

For the articles 104 409 and 104 409 001.

Reference	Description
104449	2 springs and 2 rubber ends. Black. 6mm
9104450E	2 rubber ends. Blue and red. For ref. 104409010
104450	Rubber ends by unit.



Replacement spring for anti kick bar

Reference	Description
104451	By unit. Diameter: 6 mm.
104451006	By 6. Diameter: 6 mm.
104451009	By 6. Diameter: 9 mm.
104448	By 2. For ref. 104409010

Hobbles	104409	104409001	104409010	104409020
Matching springs	104451009	104451009	9104451R [X1] ou 104448 [X2]	104451009



Chain hobble

Avoids kicks during milking. Very quick fastening on two opposite legs.

Reference	Description
104411	Chain hobble



Nylon hobble triple adjustment

Nylon hobble with an adjustment at the strap and another one at the legs. Very high quality.

Reference	Description
104411100	Blue



Leather hobble with chain

Strong and supple leather hobble. The two leather straps are linked by a chain.


Reference	Description
10441200	Leather hobble with chain



Galvanised tail bridle for cows

Prevents the cow from tail slapping during milking by immobilisation of the first caudal vertebrae.

Reference	Description
104442	Tail bridle





PPTex leads

Available in different sizes. Sold in bulk by 12 or individually in a blister pack.

Reference	Description
121115001V	Length: 2,50 m. Diameter: 12 mm. By 12.
121116001	Length: 2,50 m. Diameter: 14 mm. By unit.
121116001V	Length: 2,50 m. Diameter: 14 mm. By 12
121117	Length: 4 m. Diameter: 12 mm. By unit.
121117V	Length: 4 m. Diameter: 12 mm. By 12.
121117001	Length: 4 m. Diameter: 14 mm. By unit.
121117001V	Length: 4 m. Diameter: 14 mm. By 12.



PP/SISAL leads

Available in different sizes. Sold in bulk by 12 or individually in a blister pack.

Reference	Description
121115	Length: 2 m. Diameter: 12 mm. By unit.
121115V	Length: 2 m. Diameter: 12 mm. By 12.
121116	Length: 2,5 m. Diameter: 14 mm. By unit.
121116V	Length: 2,5 m. Diameter: 14 mm. By 12.



SICAL/PP

PP/SISAL halters

Supplied by 12.

Reference	Description
121111V	Length: 4 m. Diameter: 14 mm. By 12.



PPTex

PPTex halters

Available in different sizes. Supplied by 12.

Reference	Description
121110001V	Length: 3 m. Diameter: 12 mm. By 12.

Find the whole of our range of carabiners in the chapter dedicated to farm equipment



Quick release hook

Reference	Description
121117102	HONDA Quick release hook



Double adjustment leather halter **KAMER**

Head piece and noseband. Made of **double-thickness leather**. Chrome plated settings.

Reference	Description
121137000	Assorted colors




Nylon halter for cows

KAMER

Very resistant. Two reinforced adjustment loops (headpiece and noseband).

Reference	Description
121107	Yellow and black
121107003	Red
121107006	Blue
121107008	Green - Limited stock.



Cow presentation halter

KAMER

Very robust nylon. Reinforced leather strap. Chinstrap chain and fastening ring. Supplied without lead. Height: 47.5cm, circumference: 64cm, width: 4cm.

Reference	Description
121103	Yellow/black



High quality nylon collar for cows

KAMER

Very robust double thickness nylon collars. Attachment ring. 125 cm x 4 cm. Thickness: 5 mm.

Reference	Description
121161	Yellow and black
121161002	Black
121161003	Red
121161006	Blue
121161008	Green



High quality nylon collar for bulls

Very sturdy nylon collars due to their width and double closure. Leather reinforcement of the loop. Attachment ring. **New color: yellow and black.**

Reference	Description
121126010	Length 1,70 m - Width 7 cm



Non-contractual color





Superior quality nylon collar for cow

The top of the range. Necklace 1.30 m. Leather reinforcement at the adjustment loop. Nice finish.

Reference	Description
-----------	-------------

121128006C	Width 4 cm. Loop 6 x 4 cm.
------------	----------------------------



Nylon calf collar

Leather reinforced adjustment strap. Supplied with attachment clip. **80 cm long.** Available in different colours. Pratical to distinguish groups.

Reference	Description
-----------	-------------

121122	Yellow and black
--------	------------------

121122003	Red
-----------	-----

121122006	Dark blue
-----------	-----------

121122008	Green
-----------	-------

KAMER



best seller
UKAL

Halter for calf

This calf halter is made of high quality nylon. Leather finish. Tightening loop

Reference	Description
-----------	-------------

121139	Blue
--------	------





Metal collar with hook

3 rings, 1 hook, 1 flat bar. To attach cattle to the Dutch attaching strap.

Reference	Description
-----------	-------------

117704	83 cm
--------	-------



Dutch type cow strap standard

Made of single-layer nylon. Supplied with an upper and lower metal attaching chain.

Reference	Description
-----------	-------------

117703	1,85 m
--------	--------



Dutch type cow strap double

High-quality strap. Made of strong and very resistant double thickness nylon. Metal reinforcements at each end. Two lengths available. Supplied with an upper and lower metal attaching chain.

Reference	Description
-----------	-------------

117702180	1,80 m
-----------	--------

117702200	2 m
-----------	-----



Nylon collar with chain for calf **KAMER**

High quality, top-of-the-line model. Very strong. Leather reinforced adjustment loop. With safety chain and ring for individual attachment. Nylon stitching. **Exceptional finish.**

Reference	Description
-----------	-------------

121127	85 cm
--------	-------



Leather collar with attachment clip for calf

Very thick. Complete with attachment clip. Very strong.

Reference	Description
-----------	-------------

12112	80 cm
-------	-------





One hand hoof cutter

Reference	Description
106601	One hand hoof cutter



Hoof cutter articulated

High transmission ratio. Powerful jaws with removable blades. For horizontal attack to the callus. Antislip handle. Total length: 41 cm (16").

Reference	Description
106602	41 cm



Rounded hoof cutter 60 cm

Transmission ratio. The «scissors» head shape allows a side cut of the callus. Antislip handle. Total length: 60 cm (23 1/2").

Reference	Description
106603	60 cm



Professional hoof cutter

Round head with crossed jaws. Allows a side cut of the callus.

Reference	Description
106604	Nickel-plated steel



S hoof rasp 30 cm

Double sided (fine and coarse). For hoof trimming and finish. Length: about 30 cm (11 3/4").

Reference	Description
106620	30 cm



Hoof rasp straight with handle

Double sided (fine and coarse). Plastic handle. Length: about 35 cm (13 3/4").

Reference	Description
106621	35 cm with handle
106622	35 cm without handle



Traditional hoof scraper

Reference	Description
106625	Black painted steel 30 cm



Special hoof disc

Especially for trimming the hooves of cattle. Fits on all current types of electric hoof trimmers. Boring 22 mm. **Supplied in sets of 2.**


Reference	Description
106681215	Ø 115 mm
106681227	Ø 125 mm



Hoof Disc

The granulometry avoids dirtying the disc and heating of the foot. Boring 22 mm.

Reference	Description
106690115	Medium grain Ø 115 mm
106690125	Medium grain Ø 125 mm
106691115	Large grain Ø 115 mm
106691125	Large grain Ø 125 mm
106692115	Double side Ø 115 mm
106692125	Double side Ø 125 mm



DL disc

Lightness and robustness combining cutting efficiency and incomparable life time! No heating of the foot, no dust nor smoke. One blade set treats over 400 cattles. Tungsten blade.

Reference	Description
106695001	Ø 115 mm
106695002	Blade and screw set



DL soft disc

Less aggressive cutting due to the positioning of the blades. Blades can be used on both sides.

Reference	Description
106695101	DL soft disc Ø 115 mm
106695102	Replacement blade x 1
106695102SET	Replacement blade x 7





Professional hoof knife top range

The professional hoof knife! Handle made of exotic wood (bubinga). High cutting quality due to its very sharp blades. The blade is 65 mm long.

Reference	Description
106609001	Wide right blade
106609002	Wide left blade
106609003	Wide double blade



BLACK BLUE hoof knife

Black Blue hoof knives are of high quality. The blade is tempered to allow easy sharpening and also to allowing the blade to stay sharp. Available in several models. The Black Blue knives are very strong. Ergonomic shape. Treated steel blade.

Reference	Description
106609BB1	Wide blade right
106609BB2	Wide blade left
106609BB3	Wide blade double
106609BB4	Thin blade right
106609BB5	Thin blade left

UKAL
exclusivity



LA PAREUR hoof knife

Steel blade. Ergonomic wooden handle for a better grip. Very nice finish.



Reference	Description
106612001	Wide blade right
106612002	Wide blade left
106612003	Wide blade double



VANADIUM hoof knife

Polished steel blade. Antislip and plastic handle for a better grip. The best price-performance ratio.

Reference	Description
106614001	Wide blade right
106614002	Wide blade left
106614003	Wide blade double



BLACK BLUE ring hoof knife

BLACK BLUE ring hoof knife. Steel blade. Wooden handle. Very nice finish.

Reference

Description

106613BB

BLACK BLUE ring hoof knife



Ring hoof knife

Steel blade. Wooden handle. Good price quality ratio.

Reference

Description

106613

Standard ring hoof knife



Sharpening stone

Essential to sharpen hoof knives, hoof shears and other knives used by shepherds. The very fine grit of the stone allows for precise sharpening of cutting tools for optimal use. 13 cm long.

Reference

Description

106616

Sharpening stone

KAMER



clever
PRODUCT

13 cm



Hoof checker

Shows the ideal shape of the hoof in a fast and safe way. It also allows to check the hoof angle between the base and the upper front part of the hoof. The angle should be between 45° and 50°. The angle of the tester is 50°.

Reference

Description

106643020

Hoof checker

Demotec®





DEMOTEC EASY BLOC

Easy, quick, safe and economical. Lameness of cows can lead to significant economical losses due to a reduction of the production and weight loss in the short term. The Easy Bloc makes it possible to treat the lameness in an easy and economical way even for inexperienced users. It can be used on all kinds of hooves. **Packaging: box of 4 or 12 treatments.**

Reference	Description
106643004	Box of 4 treatments
106643010	Box of 12 treatments
106643011	250 ml liquid
106643012	500g liquid



Blocks for DEMOTEC EASYBLOC

Reference	Description
106643013 D/2	Right x 2
106643013 G/2	Left x 2
106643013 DG2	2 right, 2 left



DEMOTEC 90

The DEMOTEC 90 mixture produces a very fluid (liquid) paste. After 2 to 3 minutes this mixture gets thicker and more pasty. Now it can be spread on the put it on the healthy hoof and on the wooden block. **7 to 8 minutes later the DEMOTEC 90 is completely hardened.**

Reference	Description
106645002	2 treatments
106645011	Liquid 500 ml
106645012	Powder 1 kg



DEMOTEC 95

The DEMOTEC 95 mixture gives you immediately an adhesive paste ready to spread on the healthy hoof and the wooden block. **6 to 7 minutes later the mixture is completely hardened. Box of 14 treatments.**

Reference	Description
106644010	14 treatments



Septicare®

HOOF GLUE SEPTICARE II BOND EXPRESS



**SINGLE-USE SYRINGE,
PERFECT FOR 1 HOOF!**

SEPTICARE II BOND EXPRESS

Sku. 106652005

Unchanged formula, same efficiency, more practicality!
Applied in **3 minutes**, Stick in **30 seconds**,
the cow is released in 3 minutes.



- **Significant time and cost savings:**
the glue is applied in only 3 seconds, bonds in 30 seconds thanks to a very quick thermic reaction between the 2 components. The cow is thus released in only 3 minutes.

- **A glue with unequalled efficiency:**
the glue dries even under extreme conditions. It can be applied and stored from 0°C to 40°C and even in wet environments, but it must not have a temperature lower than 0°C for application.

- **Very easy to use:**
no need to be preheated, the cannula makes the 2 component optimal mixture for a maximal bonding and the glue doesn't flow even by applying vertically.

- **Comfort for the breeder and the cow:**
the breeder saves 15 seconds per treated cow, the cow is less stressed and the treatment has no impact on the milk production.

**AVAILABLE IN 250ML
SEPTICARE II BOND
EXPRESS XL**
Sku. 106652001



BOX OF 10 KITS

Each kit contains one 25 ml syringe + 1 cannula
+ 1 pair of gloves, individually wrapped



3 700393 919718

www.septicare.eu

Order on our Webshop
→ **www.ukal-elevage.com**





1 cartridge 25ml
= 7 Hoof

**SINGLE
USE**



SEPTICARE II BOND EXPRESS

Discover the new packaging of our SEPTICARE II BOND EXPRESS !

Sold in boxes of 10 kits, a kit is composed of:

- 1 single-use syringe 25 ml
- 1 cannula
- 1 pair of gloves

Single use is more practical, safe and convenient for the breeder.

Glue cartridge with 2 components for hoof care. Dries in 3 seconds. Can be reworked for 15 seconds and bonds strongly in 30 seconds. Can be applied and stored from 0°C to 40°C, keeping its adhesive properties because viscosity isn't affected by the temperatures.

Nevertheless, the glue has to be at a temperature above 0°C to be used correctly.

Doesn't run during the application even when applying vertically thanks to its high thixotropy: it bonds to all materials to which it is applied.



Reference	Description
106652005	Kit of 10 monodose 25 ml



**FIND
OUR VIDEO
ON YOUTUBE**



Glue 250 ml SEPTICARE II BOND EXPRESS XL

Our best seller glue SEPTICARE II BOND EXPRESS is now available in a new 250 ml format. Glue cartridge with 2 components. Dries in 3 seconds. Can be reworked for 15 seconds and bonds strongly in 30 seconds. Can be applied and stored from 0°C to 40°C, keeping its adhesive properties because its viscosity isn't affected by the temperatures. Nevertheless, the glue has to be at a temperature above 0°C to be used correctly. Doesn't run during the application even when applying vertically thanks to its high thixotropy: it bonds to all materials to which it is applied. Supplied by box of 12 without cannulas.



Reference	Description
106652001	By 12



SEPTICARE XL KIT

1 x 250 ml glue cartridge / 1 x application gun / 10 x wood blocks / 10 x mixing cannulas / 1 x pair of gloves / 1 x instructions paper.




Reference	Description
106652010	Kit



SEPTICARE II BOND EXPRESS XL cannulas

A cannula specifically adapted to the cartridge 250 ml of SEPTICARE BOND EXPRESS glue. Its specially designed shape allows easy extrusion of the glue as well as an optimal mix between the 2 components.



Reference Description

106652002 By 10

SEPTICARE II BOND EXPRESS XL gun

Application gun for glue SEPTICARE -II-BOND EXPRESS, size XL. Good grip, High quality.

Reference Description

106652003 SEPTICARE II BOND EXPRESS XL gun



Wooden blocks

For the range DEMOTEC 90, DEMOTEC 95 and SEPTICARE BOND EXPRESS.

Reference Description

106645013002 By 2 / 11 cm

106645013020 By 20




Wooden blocks XL

For the range DEMOTEC 90, DEMOTEC 95 and SEPTICARE BOND EXPRESS.

Reference Description

106645014 XL 13 cm. By piece.





Leg splint for calves

Specifically designed for calves suffering from flexion of the pasture joints. The joint attachment allows the calf to be held and the calf to stand upright on the front legs and move freely. Leave in place for 2 to 4 weeks minimum. Durable washable nylon and durable molded ABS material. Internal padding. Velcro® safety fasteners. Treatment without plaster and bandages. Fully adjustable and reusable. Length: 22 cm.

Reference	Description
-----------	-------------

101125	By piece
--------	----------



Adhesive hoof tape

Adhesive and very resistant tape. Ideal for bandaging hooves of cattle and horses.

Reference	Description
-----------	-------------

106646	25 m x 5 cm
106646050	50 m x 5 cm



NEW



Tar bandage «Certoplast»

To bandage and apply protection bandages on large animals

- Adhesive on both sides
- Aluminium packaging
- Black

Reference	Description
-----------	-------------

106646100	25 m x 4,5 cm
-----------	---------------



NEW



Clay bandage «Corotex»

- Fabric tape
- Breathable
- Adhesive on one side
- Black

Reference	Description
-----------	-------------

106646200	25 m x 5 cm
-----------	-------------



Cohesive flexible bandage for compression

Quick and easy application. Beginning easy to find. Strong fabric, can be torn by hand. Size stretched: 10 cm x 4 m. Size unstretched: 10 cm x 2,5 m. Contains latex.

Reference	Description
-----------	-------------

106700	18 cohesives bandages assorted fluorescent colours
106710	18 cohesives bandages assorted classic colours
106710102	Black - By 18
106710103	Red - By 18
106710106	Blue - By 18

NEW

NEW

NEW





Cattle hoof care portico

Vink

This restraining unit can be easily adapted to all kinds of cattle stalls. Using this frame, you can always treat the cattle without help from another person and in their own environment. Equipped with a self locking winch.

Reference	Description
-----------	-------------

106900	
--------	--



Premium hoofmat

The "Premium Hoofmat" uses a 31 mm foam encased in a premium quality blue outer fabric. To optimise treatment, place the mat at the entrance to the milking platform. After milking, hang the hoofmat over a rail and hose it down. The "Premium Hoofmat" lasts over 100 000 cow passes. Contains up to 35 litres of hoofbath remedy. Top up the mat after 80 cow passes. Size: 180 x 90 cm.

Reference	Description
-----------	-------------

113001	180 x 90 cm
--------	-------------



Septicare®

SEPTICARE cattle hoof mat

Disinfecting foam for building entrances. Perfect for the passage of animals. Large and top class model. The whole hoof treated due to the thickness of the mat. Capacity: 120-160 liters.

Reference	Description
-----------	-------------

113100001	Large size 180 x 90 x 10 cm
-----------	-----------------------------



KAMER tendon clamp

KAMER

Avoids kicks during hoof treatments. To be placed in the hollow of the animal's knee. Works by pinching the tendon. Very efficient and strong model.

Reference	Description
-----------	-------------

106652	Tendon clamp
--------	--------------





Norwegian fine hoof tar

Hoof tar is made of natural wood tar. This natural tar protects and nourishes the hoof. Available also for hunting.

Reference	Description
-----------	-------------

000020	1 kg
--------	------

000025	5 kg
--------	------



Beech hoof tar

Beech Tar. Protects hooves and nourishes the hoof horn. Available also for hunting.
Very good price-quality ratio.

Reference	Description
-----------	-------------

000030	1 kg
--------	------

000035	5 kg
--------	------





Thermic depilator

Depilates udder hair in a secure way and without causing pain by a cold flame. It does not pose a danger to people nor animals. Appreciated for its fast action. Depilate approximately 40 to 50 animals. Supplied with: a 750ml propane gas cartridge (99%) ref. 103400001, a 2 bar regulator, a flexible tube (20 bar) of 2 meters, a 80 cm spray nozzle, an ergonomic handle with 2 plugs and a belt clip.

Reference	Description
103400	Thermic depilator
103400001	Propane gas refill for thermic depilator. Cartridge 750 ml of propane (99%).



TERRA portable hair remover - thermic depilator

Promoting udder hygiene before milking avoids germs, bacteria, mastitis and lost time. EASY: Set up in less than 2 minutes. FAST: Hair removal in less than 4 seconds per cow. SAFE: Easy and safe hair removal due to the long curved burner. PAINLESS: Thanks to the soft flame, the animal feels only a sensation of warmth. PRACTICAL: Cartridge weight 340 g with duration of 2 hours. EFFECTIVE: Reduces the spread of germs and risk of mastitis. Faster cleaning of the udder before milking. Easier teat identification for automated milking. Improved milk quality. ECONOMICAL: Avoids multiple processing of milk. Compatible with gas cylinder/cartridge. Handle + angled burner: 500 g. Burner length: 1000 mm. Keep the flame at a distance of approximately 10 to 20 cm while drawing an "eight" for 2 to 4 seconds.

Reference	Description
103401655	Curved "milking parlour"
103401656	Straight "milking parlour"



Butane/propane cartridge

More powerful than a butane cartridge. For the thermic depilator. Not advised for dehorner.

Reference	Description
103401556	340 g





Please, find our range of sprayers in the Farm Equipment Chapter



Double tissues

For udder cleaning. Very resistant to water washout. Do not shrink.

Reference

Description

112131

Dimensions: 2 x 35 x 32 cm. By 10.



Septicare Tissues

Non-woven tissues made of 80 % viscose and 20 % polypropylene. Conform to food standards. Do not contain formaldehyde. Used to wash the cow udders. Much softer than woven tissues. They ensure an excellent cleaning and a better wiping of the teat due to the non-woven composition. Equal weight, absorb twice as much water than woven tissues. Machine washable, also in very hot water. By 25.



Reference

Description

112131001

Dimensions: 34 x 37 cm. Weight: 240 g/m2. Bag of 25.



Mastitis detector

New version of the online mastitis detector. Easy to install and clean, usable on 16 mm milk hoses, wide vision of milk flow. By unit.



Reference

Description

112221

Mastitis detector



Non return dip cup

Dip cup with non-return system which makes it hygienic, practical and safe. Avoids the risks of cross contamination.



Reference

Description

112130001

Non return dip cup



Teat dip cup

For soaking the teat prior to milking.



Reference Description

112130 Teat dip cup



AMBIC non-return dip cup

Allows you to dispose of new product each time you soak it. Avoids the risk of cross-contamination.



Reference Description

112130002 Non-return dip cup



AMBIC foam dip cup

Produces a dense foam. Increases the contact surface and efficiency of foaming products.



Reference Description

112130003 Foam dip cup



Manual teat sprayer

Manual sprayer with rotary nozzle directional jet, facilitates spraying.

Reference Description

112126 Hand sprayer 680 ml



Teat sprayer

With 20 cm adjustable extension. For spraying after milking.

Reference Description

112127 Pump spray





Plastic milking cup

With strainer.

Reference	Description
-----------	-------------

124070046	1 L
-----------	-----



Conical plastic milking cup

Conical strainer with tab to remove the strainer easily.

Reference	Description
-----------	-------------

124070047	1 L
-----------	-----



Transparent dosing cup

Food safe plastic.

Reference	Description
-----------	-------------

124064	1 L
--------	-----

124064003	3 L
-----------	-----



Bromothymol Mastitis indicator test paper

The use of reactive paper helps to detect rapidly milk acidification caused by increased number of cells. The mastitis touches rarely the whole teat. That's why it is important to check and compare the 4 quarters. Supplied in bag of 25 pieces.

Reference	Description
-----------	-------------

112219	Mastitis indicator test paper
--------	-------------------------------



Mastitis detection kit

For mastitis detection of reactive liquid. The kit contains: 1 paddle, 1 dosing bottle, 1 liter of reactive liquid, 1 teat wipe, 5 Velcro ankle straps, test report leaflet.

Reference	Description
112137	Complete kit



Reactive liquid

For the test to detect mastitis. This test gives information about the situation of the quarters before any changes in appearance are visible (inflammation of mammary tissue, lumps, water and blood, etc.). To be used with the test paddle. Consists of anionic surface-active agent and bromocresol purple.

Reference	Description
112134	1 L



Dosing bottle for reactive liquid

Ensures precise dosing of the liquid in each quarter on the paddle. 1 ml for each dose.

Reference	Description
112136	Dosing bottle




Mastitis test paddle

Test to detect mastitis. Each section corresponds to one quarter of the udder. To be used with SEPTICARE liquid.

Reference	Description
112132	Test paddle






Catheter

Ogival catheter. Used for intra-mammary injections in the lactiferous sinus (antibiotic depletion). Used with a metal or plexi DERMAPLAST syringe. Luer lock end. By 5.

Reference	Description
112205/5	8 cm - Ø 2 mm
112206/5	10 cm - Ø 2 mm



Catheter

Solution flows through 2 lateral openings of the catheter. Stainless steel catheter and chromed brass base. Luer Lock end. By 5.

Reference	Description
112210001/5	38 mm - Ø 2 mm
112210002/5	63 mm - Ø 2 mm



Catheters

Stainless steel catheters. Length: 14 cm. Diameter 3,6mm.

Reference	Description
112217001	14 cm



Plastic catheter

Supplied by 10.

Reference	Description
112204	By 10



Organic milking grease

The first ORGANIC milking fat! **Ideal for organic farming.** This new organic milking grease, MADE IN FRANCE, is formulated with beeswax and sunflower oil. It facilitates milking thanks to its lubricant properties. It protects and helps to heal udders by creating a protective layer.

No preservatives, no disinfectants, no perfumes, no dyes.

White color.

Reference	Description
112503	500 ml



EUTRA



EUTRA milking grease

Milking grease is for protecting and caring for teats and udders. Made from high-quality refined mineral oils, it facilitates milking due to its lubricating properties. Helps to protect and care for the udders by creating a protective layer and helps the healing of small wounds. **Swiss original formula.** No preservatives, no disinfectant, no fragrance substances, no colorings. Composition: Paraffinum liquidum, Petrolatum. Color: white. **Can not be used on organic farms.**

Reference	Description
112500002	250 ml
112500005	500 ml
112500010	1 L
112500020	2 L
112500030	3 L
112500050	5 L
112500100	10 L



EUTRA



EUTRA semi-liquid milking grease

Milking grease for protecting and caring for teats and udders. Its multi-purpose nature means that it has various applications like facilitating milking and ensuring teats and udders care and as a universal lubricant, in particular for threading cables, connecting pipes, forming seals in cases of severe moisture, screwing, and protecting metal parts from corrosion. Composition: Paraffinum liquidum, Petrolatum. **Can not be used on organic farms.**

Reference	Description
112501005	500 ml
112501010	1 L



EUTRA





EUTRA

EUTRA Balsam

Natural balm containing eucalyptus and lavender extract. **Stimulates the milk flow.** Makes milking easier, protects and cares for udders and teats. Prevents the development of wounds and cracked skin. Hanging bottle with anti-leak valve for optimal dosage. **Can not be used on organic farms.**

Reference	Description
-----------	-------------

112521005	500 ml
-----------	--------



EUTRA

EUTRA Gel

Gel made of Menthol and tea tree extract to protect and take care of the teats. **Cooling effect.** Effective cleaning thanks to the antiseptic properties of the plants extracts. **Can not be used on organic farms.**

Reference	Description
-----------	-------------

112520005	500 ml
-----------	--------



CREMAPIS Milking Grease

High-quality milking fat. **Necessary for a good softening** and moisture of the teat tissue. Aseptic. Color: yellow.

Reference	Description
-----------	-------------

112160005	500 ml
-----------	--------

112160010	1 L
-----------	-----

112160030	3 L
-----------	-----

112160050	5 L
-----------	-----



TRAYBAIN Milking Grease

Facilitates milking and maintains healthy and soft teats. **Protects from cold and draughts.** Color: green

Reference	Description
-----------	-------------

112170001	1 L
-----------	-----

112170005	5 L
-----------	-----



Rubber milking tube

Roll of 20 m.

Reference	Description
112413	Dimensions: 14 x 25 mm



Twin rubber air tubing

Food safe. Roll of 20 m.

Reference	Description
112402	Dimensions: 7 x 13 mm



Teat plug for milking liners

Closes a milking liner when a teat is not working or if a teat does not exist.

Reference	Description
112390002	By 2



Non-woven disk filters BOSCH AND SCHÖRLE

New generation non-woven milk filters welded through a process without glue or chemicals. **Öko -Tex Standard 100 and can be used on organic farms.** They don't affect the quality of milk and allow a smooth and rapid flow. Very resistant, they are not weakened by the holes formed by the stitching unlike sewn filters. Box of 200.

Reference	Description
124075170	170 mm
124075180	180 mm
124075200	200 mm
124075230	230 mm





B&S
Melkhygiene
Bosch &
Schörle GmbH

Non-woven filters BOSCH AND SCHÖRLE

New generation non-woven milk filters welded through a process without glue or chemicals. **Öko -Tex Standard 100 and can be used on organic farms.** They don't affect the quality of milk and allow a smooth and rapid flow. Very resistant, they are not weakened by the holes formed by the stitching unlike sewn filters. No thread = no hole = better filtration. Box of 250.

Reference	Description
124064250	250 x 125 mm
124064570	570 x 44 mm
124065250	250 x 58 mm
124065320	320 x 58 mm
124065465	465 x 58 mm
124065500	500 x 58 mm
124065530	530 x 58 mm
124065620	620 x 58 mm
124068455	455 x 80 mm
124068600	600 x 80 mm
124068620	620 x 80 mm
124068640	640 x 80 mm
124068800	800 x 80 mm
124069610	610 x 95 mm

DID YOU KNOW?

Milk filters are used for safety and health reasons. They are put on the milking machines to filter milk from dirt and bacteria. The filter size must be chosen according to the milking machine.



FIND OUR VIDEO ON YOUTUBE





Oil for milking machine

UKAL

The special oil for milking machine is designed for the lubrication of vacuum milking machine pumps. Used in summer and winter. Suitable for all types of vacuum pumps. Viscosity: to 40°C: 46 cst, to 100°C: 7,6 cst

Reference Description

112600005 5 L



Control cover without seal

Without seal.

Reference Description

112601 Control cover without seal



Control cover seal

For control cover (ref. 112601)

Reference Description

112601001 Control cover seal



Quarter milker

For the milking of a teat which is sick or under treatment. Avoids mixing with healthy milk.

Reference Description

112129 8 L





Stainless steel milking pail

Robust and very durable. Very easy to clean. Without lid. Food grade quality.

Reference	Description
124008025	Height: 42,5 cm. Ø base 33,5 cm Ø opening 18 cm
124008030	Height: 49 cm. Ø base 33,5 cm Ø opening 18 cm



Stainless steel milk can for transport

Really robust, made in stainless steel. Food grade quality.

Reference	Description
124009030	30 L. H 50 cm. Ø 33,5 cm



Milk can with aluminium lid

Made of aluminum, robust and very resistant to impacts. Does not pick up odors and easy to clean. Food grade quality.

Reference	Description
124100010	With handle 10 L. H 32 cm. Ø 25 cm
124100020	Without handle 10 L. H 32 cm. Ø 25 cm




Milk funnel & aluminium grills

Sold with cones set, lower disc, strainer and circlips. Food grade quality. Fits on milking pots for optimal filtration.

Reference Description

124020030 Ø 300 mm



Aluminium milk sampler dipper

Can measure and collect the milk.

Reference Description

124063010 1 L



Aluminium buckets 12 L with spout

Aluminum bucket with spout. Capacity: 12 L.

Reference Description

120003012 Capacity: 12 L





Special dairy brush

Can be boiled. Food grade nylon bristles. Very robust. Bristles length: 40 mm. Weight: 270 g.

Reference	Description
124001	L 195 x W 60 x H 60 mm



Scrubbing brush

Can be boiled, robust. Food grade nylon bristles. Weight: 260 g.

Reference	Description
124002	L 195 x W 60 x H 60 mm



Milk tank brush

Food grade nylon bristles. Can be boiled. To use with a handle. Supplied without handle. Very robust. Bristles length: 40 mm. Weight: 280 g.

Reference	Description
124003	L 90 x W 55 x H 115 mm



Cleaning brush

Food grade. Supplied without handle. Width: 26 cm.

Reference	Description
124004	26 cm



Brush with short handle

Bristles length: 40 mm. Weight: 220 g. Food grade.

Reference	Description
124006	L 260 x W 172 x H 55 mm



Brush with long handle

Bristles length: 40 mm. Weight: 220 g. Food grade.

Reference	Description
124007	L 400 x W 45 x H 55 mm



Handles

Length: 1,20m.

Reference	Description
124000M	White lacquer metal handle
124000P	Polypropylene handle



Squeegee

ABS support. White polypropylene socket. Length of fibres: 20 mm. Weight: 520 g.

Reference	Description
124015	L 525 x W 20 x H 60 mm



Rotary brush

Rotary brush used to clean milking liners. Can be used with all brands. Food grade nylon bristles.

Reference	Description
124010	Food grade nylon bristles



4 brushes kit


Reference	Description
124011	4 brushes teat, a bulk tank outlet brush, a separator brush and an angle brush.



Straight brushes

Straight brush used to clean milking tubes. Food safe nylon bristles.

Reference	Description
124010001	L 40 cm - Ø 10 mm
124010002	L 100 cm - Ø 15 mm





Metal cattle curry comb

Nickel-plated comb with metal handle. Flat body with coarse teeth, mane and tail comb.

Reference	Description
123302	Nickel-plated comb with handle 21 x 17,5 cm



Square curry comb with comb

Coarse teeth, flat body, equipped with a mane and tail comb, nickel-plated metal. Plastic handle

Reference	Description
123303	22 x 24 cm



Square curry comb flat body

Coarse teeth, flat body, made of nickel-plated metal. Plastic handle. 7 rows.

Reference	Description
123305	14,5 x 22,5 cm



Curry comb

Also known as the « American model » with reversible blades. 2 heights of teeth depending on the animal's sensitivity. Doesn't get dirty.

Reference	Description
123306	14 x 27 cm



Half-round metal curry comb

Galvanized. Resistant plastic handle.

Reference	Description
123304	2 rows



Nylon and wood brush

Hard nylon bristles. Leather strap

Référence Description

123301 Wood



Natural fiber brush

Référence Description

123309 185 x 55 x 58 mm - Small model

123307 220 X 55 X 700 mm - Big model



Wooden carder

Size: 120 x 170 mm.

Reference Description

151010 120 x 170 mm



Pneumatic carder

Size: 120 x 170 mm.

Reference Description

151030 120 x 170 mm





Large scraper

- For all types of animals
- Safe and efficient way for cattle to scratch
- No harmful effects on the skin, face and eyes
- Sustainable quality over time
- Flexible pins for comfortable scratching
- Easy mounting flat on the walls
- Size: 63 x 28 cm

Reference

Description

123345

Polyethylene



Cow brush

KAMER

Zinc coated metal. Very strong spring. Supplied with 2 brushes with plastic back and nylon bristles. The cow brushes are essential elements of hygiene and comfort in a cattle's life in a shed. Avoids injuries caused by rubbing against concrete and metal parts of the shed.

Reference

Description

123315

Cow brush in zinc coated metal

Spare brush

KAMER

For shed brushes ref. 123315 and 123325. Plastic back. Nylon bristles. Size: 50 x 10 x 10 cm.

Reference

Description

123316

Spare brush for shed brushes



VINK cow brush

Vink

Special nylon brush for livestock. Horizontal moveable brush. Solid spring suspension.

Reference

Description

123325

VINK nylon cow brush

UKAL'S TIP

There is no doubt that good cow comfort results in a happier, healthier and more productive herd.



Round brass bell

Clapper available on request. Please consult the list in the price list and on the website.

Reference	Description
121803100	Diameter: 100 mm. Loop: 50 mm. Height: 77 mm
121803110	Diameter: 110 mm. Loop: 50 mm. Height: 77 mm
121803120	Diameter: 120 mm. Loop: 70 mm. Height: 84 mm
121803130	Diameter: 130 mm. Loop: 70 mm. Height: 91 mm
121803140	Diameter: 140 mm. Loop: 70 mm. Height: 98 mm
121803150	Diameter: 150 mm. Loop: 70 mm. Height: 105 mm
121803180	Diameter: 180 mm. Loop: 82 mm. Height: 126 mm
121803225	Diameter: 225 mm. Loop: 82 mm. Height: 157 mm
121803300	Diameter: 300 mm. Loop: 82 mm. Height: 210 mm



Round steel bell

Round steel bell for cattle. Brass colour. Clapper available on request.

Reference	Description
121805105	Diameter: 105 mm. Loop: 50 mm. Height: 76 mm
121805125	Diameter: 125 mm. Loop: 50 mm. Height: 90 mm
121805145	Diameter: 145 mm. Loop: 82 mm. Height: 105 mm
121805165	Diameter: 165 mm. Loop: 82 mm. Height: 120 mm
121805185	Diameter: 185 mm. Loop: 82 mm. Height: 134 mm





Black blue steel bell

Steel bell for sheep and goats. Nice tone. Clapper available on request. (réf. 1218069064 et 1218069088). Please consult the list in the price list and on the website.

Reference	Description
121806064	Diameter: 64 mm. Loop: 50 mm. Height: 64 mm
121806088	Diameter: 88 mm. Loop: 50 mm. Height: 115 mm
121806104	Straps width: 75 mm. Height: 104 mm. Diameter: 104 mm. Material: Steel
121806120	Straps width: 82 mm. Height: 120 mm. Diameter: 120 mm. Material: Steel
121806144	Straps width: 82 mm. Height: 144 mm. Diameter: 144 mm. Material: Steel



Brown leather collars

Soft chrome-tanned leather. Ideal for bells. Different sizes available: 6 or 8 cm wide. Length: 120 or 135 cm.

Reference	Description
121162126	120 x 6 cm
121162128	120 x 8 cm
121162136	135 x 6 cm
121162138	135 x 8 cm



Black leather collars

Ideal to hang bells. Buffalo leather.

Reference	Description
1211747090	47 mm x 90 cm
1211747125	47 mm x 125 cm
1211760125	60 mm x 125 cm



Revolving leather punch

To readjust leather, straps, etc.

Reference	Description
129200	Revolving leather punch